

## SAFETY DATA SHEET

---

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

---

Product Name: **ESTOCELL RBCF**  
Application: Resin Bonded cork Filler  
Company: **Denka Construction Solutions Malaysia Sdn Bhd**  
Address: No.18, Jalan Utas 15/7, Seksyen 15, 40200 Shah Alam, Selangor.  
Telephone: 03-55108810 Fax: 03-55100708

---

### 2. HAZARDS IDENTIFICATION

---

The product is not considered to have any hazards according to Directive 2008/1272/EC

---

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

---

Cork granules agglomerated with a polyurethane binder

Cork: CAS N-61789-98-8  
Polyurethane: CAS N-584-84-9,  
CAS N-91-08-7  
CAS N-117-81-7

---

### 4. FIRST AID MEASURES

---

Not applicable

---

### 5. FIRE FIGHTING MEASURES

---

Suitable Extinguishing Media: Water, chemical powder, carbon dioxide  
Special Exposure Hazards: Not Applicable  
Special Protective Equipment: Firefighters should be use autonomous breathing devices for fires in closed areas.

---

### 6. ACCIDENTAL RELEASE MEASURES

---

Personal Precautions: Not applicable.  
Environmental Precautions: Not applicable.  
Decontamination Procedures: Send for recovery or disposal in suitable receptacles. Dispose contaminated material as waste according to item 13.

---

## 7. HANDLING AND STORAGE

---

Handling: Not special care required.  
Storage: Store the product at room temperature, away from rain and in a well-ventilated place.

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

General protective measures: Use skin protection cream for skin protection. Clean skin thoroughly immediately after handling the product. Avoid contact with the eyes and skin.  
Respiratory protection: No special equipment required under normal condition of use.  
Protection of hands: Protective gloves.  
Eye protection: Wear safety glasses in product-cutting situations.  
Body protection: Protective work clothing.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

Physical State: Solid  
Colour: Light Brown  
Odour: Mild  
Melting index: N/A  
Boiling index: N/A  
Flash point: >300°C  
Autoflammability (°C): N/A  
Self-igniting: N/A  
Danger of explosion: N/A  
Water Solubility: insoluble

---

## 10. STABILITY AND REACTIVITY

---

Thermal decomposition / conditions to be avoided: Heat, Oxidizing materials, Strong oxidizers and Water.  
Dangerous reactions: No dangerous reactions known.  
Dangerous decomposition products: Carbon dioxide, Carbon monoxide are released at temperatures above 300°C

---

## 11. TOXICOLOGICAL INFORMATION

---

Not applicable.

---

## 12. ECOLOGICAL INFORMATION

---

Destination and effects on the environment: Not established.

## 13. DISPOSAL CONSIDERATION

Waste Elimination: It should be incinerated in a closed burner, or used as fuel in controlled systems.

## 14. TRANSPORT INFORMATION

Road & Rail (ADR/RID)	Not regulated
Sea (IMDG/IMO)	Not regulated
Air (ICAO/IATA)	Not regulated

## 15. REGULATORY INFORMATION

Comply with all national provisions that may apply.

## 16. OTHER INFORMATION

The data and advice given apply when the product is used for the stated application(s). The product is not may give risks not mentioned in this sheet. The product should not be used other than for the stated application(s) without seeking advice from Denka Construction solutions Malaysia Sdn Bhd.

If this product has been purchased for supply to a third party for use at work, it is the purchaser's duty to take all necessary steps to secure that any person handling or using the product is provided with the information in this data sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of any hazards described to this sheet and of any precautions which should be taken. This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

**SDS Reference:** Estocell RBCF  
**Date Printed** 29/09/2025  
**Revision** 04



Denka Construction Solutions Malaysia Sdn Bhd  
(591858-U)  
No. 18, Jalan Utas 15/7, Seksyen 15,  
40200 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel: +603 5510 8810 Fax: +603 5518 8202  
[www.denka-cs.com](http://www.denka-cs.com)

## Limitation of Liability

The information contained in this brochure provides general advice for potential customers for DENKA about the basic properties and characteristics of various DENKA products (hereafter known as "the Product Information"). DENKA makes no warranty or representation as to the entire accuracy or completeness of the Product Information in the brochure. Nothing in this brochure will be deemed to create any express or implied warranty of merchantability, fitness for a particular purpose or infringement of any intellectual property rights. Each user of the Product Information and DENKA products assumes their own responsibility to properly determine the manner and suitability of use of the Product Information and DENKA products in its own operations. The user should exercise proper care in considering the Material Safety Data Sheet, Product Information and any other technical information provided by DENKA including descriptions of the conditions of use, warnings and other cautionary instructions. DENKA reserves the right to change the Product Information from time to time at its discretion and without notice.