

## SAFETY DATA SHEET

### 1. IDENTIFICATION THE SUBSTANCE / PREPARATION OF THE COMPANY / UNDERTAKING

Product Name: **ESTOGARD S100e**  
Application: Self Smoothing Epoxy Floor Coating  
Company: **Denka Construction Solution Malaysia Sdn Bhd**  
Address: No. 18, Jalan Utas 15/7, Seksyen 15, 40200 Shah Alam, Selangor, Malaysia  
Telephone: 03 – 55108810 Fax: 03 – 55100708

### 2. HAZARD IDENTIFICATION

#### A. Hazard Risk Classification

- Health Hazard
  - Skin corrosion / irritation : Category 1
  - Serious eye damage / eye irritation : Category 2A
  - Skin sensitization : Category 1A

#### B. Label elements including precaution statements.

- Symbol:



- Signal word: Warning
- Hazard Risk Statement
  - H302 Harmful if swallowed.
  - H315 Causes skin irritation.
  - H320 Causes eye irritation.
- Precautionary Statement (Prevention)
  - P262 Do not get in eyes, on skin, or on clothing.
  - P264 Wash hands thoroughly after handling.
  - P272 Contaminated work clothing should not be allowed out of the workplace.
  - P280 Wear protective gloves/protective clothing/eye protection/face protection.

## 2. HAZARD IDENTIFICATION (CONT'D)

(Response)

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.  
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P362+ P364 Take off contaminated clothing and wash it before reuse.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice/attention.

(Disposal)

P501 Dispose of contents / container in accordance with applicable local regulations

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%
Epoxy Polyamine Adduct	N/A	30 – 35
Calcium Carbonate	1317-65-3	5 – 8
Talc	14807-96-6	5 – 10
Colour Pigment	N/A	0 – 5
Hardener	N/A	25 – 30
Crystalline Silica	14808-60-7	20 – 25

## 4. FIRST AID MEASURES

Eyes: Rinse eyes thoroughly with water for at least 15 minutes. Consult physician.  
 Skin: Wash skin thoroughly with soap and water. Remove contaminated clothing. If symptoms persist consult physician.  
 Inhalation: Remove to fresh air. If breathing has stopped, institute artificial respiration. Consult with physician.  
 Ingestion: Do not induce vomiting. Dilute with water. Consult physician.

## 5. FIRE FIGHTING MEASURES

Suitable Extinguishing Media: Water spray (fog) foam, carbon dioxide, and any dry chemicals.  
 Special Protective Equipment: Fire fighter should wear self-contained breathing apparatus and full protective gear  
 Flash Point: Not applicable  
 Auto Ignition: Not available

## 6. ACCIDENTAL RELEASE MEASURES

Personnel Precaution: Use personal protective equipment.  
 Environmental Precaution: Do not allow to enter drains or waterways.  
 Do not discharge into the subsoil / soil.  
 Method for cleaning up: Take up with absorbent material (e.g: sand, universal binder)

## 7. HANDLING AND STORAGE

Handling:	Ensure adequate ventilation
Storage:	Keep away from source of ignition. Store in a cool dry area.

## 8. EXPOSURE CONTROL / PERSONAL PROTECTION

Engineering Control:	Use with adequate general and local exhaust ventilation
Hygiene Measure:	Do not eat, drink, smoke or drug taking in workplace. Wash hands before break or after work.
Respiratory protection:	General room ventilation is normal adequate.
Hand protection:	Chemical resistance gloves / PVC gloves.
Eye Protection:	Safety goggles with side shields.
Body Protection:	Protective clothing

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Odour	Typical
Chemical Type	Mixture
Boiling Point (°C)	No available
Melting Point (°C)	No available
Flash Point (°C)	105
Packing Density	Not available
Vapour Density	Not available
Solubility	Insoluble in water
Viscosity (25 °C), cps	600 – 2000

## 10. STABILITY AND REACTIVITY

Stability:	Stable
Hazardous Polymerization:	Will not occur.
Incompatible Material:	None known.
Hazardous Decomposition Product:	Carbon dioxide and sulfur oxide (SO <sub>x</sub> )

## 11. TOXICOLOGICAL INFORMATION

Proper use provided, no adverse health effects have been observed or have been come to our knowledge. Eye contact may produce an oil fil over the eyeball causing a harmless reversible short-lasting dimness of sight.

## 12. ECOLOGICAL INFORMATION

Biodegradability:	BOD 1.5%, TOD 8.5%
Ecotoxicity and bioaccumulation:	Not available
Fish Toxicity:	Not available

## 13. DISPOSAL CONSIDERATIONS

Disposal method should be in accordance with all applicable national environmental laws and regulation.

## 14. TRANSPORT INFORMATION

Land Transport (US DOT):	Not classified as dangerous good under transport regulation.
Sea Transport (IMDG):	Not classified as dangerous good under transport regulation.
Air Transport (IATA/ ICAO):	Not classified as dangerous good under transport regulation.

## 15. REGULATORY INFORMATION

Hazard Labels:	Irritant
Hazard Description:	Irritant
R43:	May cause sensation by skin contact.
S24:	Avoid contact with skin.

## 16. OTHER INFORMATION

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other application. Use of the product for applications other than as stated in this sheet may give rise to risks not mentioned in this sheet. The product should not be used than for the stated application or applications without seeking advice from Denka Construction Solution Malaysia Sdn Bhd.

If this product has been purchased to a third party for use at work, it is the purchaser's duty to take all necessary steps to secure that any person handling or using the product is provided with information in this sheet.

It is the responsibility and duty of the employer to inform employees and others who may be affected of any hazards described to this sheet and of any precautions which should be taken. This sheet does not constitute or substitute for the user's own assessment of workplace risk, as required by other health and safety legislation.

**SDS** : Estogard S100e  
**Date Issued** : 21/7/2023  
**Revision** : 02



**Denka Construction Solutions Malaysia Sdn Bhd**  
(591858-U)  
No. 18, Jalan Utas 15/7, Seksyen 15,  
40200 Shah Alam, Selangor Darul Ehsan, Malaysia  
Tel: +603 5510 8810 Fax: +603 5518 8202  
[www.denka-cs.com](http://www.denka-cs.com)

## Limitation of Liability

The information contained in this brochure provides general advice for potential customers for DENKA about the basic properties and characteristics of various DENKA products (hereafter known as "the Product Information"). DENKA makes no warranty or representation as to the entire accuracy or completeness of the Product Information in the brochure. Nothing in this brochure will be deemed to create any express or implied warranty of merchantability, fitness for a particular purpose or infringement of any intellectual property rights. Each user of the Product Information and DENKA products assumes their own responsibility to properly determine the manner and suitability of use of the Product Information and DENKA products in its own operations. The user should exercise proper care in considering the Material Safety Data Sheet, Product Information and any other technical information provided by DENKA including descriptions of the conditions of use, warnings and other cautionary instructions. DENKA reserves the right to change the Product Information from time to time at its discretion and without notice.