

SAFETY DATA SHEET

1: IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

Product Name: **Estogard T500e - Base**
Application: Base component of three-part epoxy flooring system
Company: **Denka Construction Solutions Malaysia Sdn Bhd**
Address: No. 18, Jalan Utas 15/7, Seksyen 15, 40200 Shah Alam, Selangor
Telephone: 03 -55108810 Fax: 03 - 55100708

2: HAZARDS IDENTIFICATION

Type of product: Mixture

A. Hazard Risk Classification

- Skin Irritation: Category 2
Eye Irritation: Category 2A
Skin Sensitization: Category 1
Aquatic Chronic: Category 2

B. Label elements including precaution statements.

- Symbol:



- Signal word: Danger
- Hazard Risk Statement
H315 Causes skin irritation
H319 Causes serious eye irritation
H317 May cause an allergic skin reaction
H401 Toxic to aquatic life
H411 Toxic to aquatic life with long lasting effects

- Precautionary Statement

(Prevention)

- P201 Obtain special instruction before use.
- P202 Do not handle until all safety precautions have been read and understood.
- P261 Do not breathe dust/fume/gas/mist/vapours/spray
- P264 Wash your handling region thoroughly after handling.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

(Response)

P362	Take off contaminated clothing and wash before reuse.
P405	Store locked up
P501	Dispose of contents / container according to local / religion / national and international regulations
P332 + P313	If skin irritation occurs, get medical advice / attention.
P308 + P313	If expose or concerned: Get medical attention.
P403 + P233	Store in a well-ventilated place. Keep container tightly closed.

3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS No.	Content, %
Epoxy resin	25068-38-6	85 – 95
Diluent	68609-97-2	1 – 10

All constituents of this product are listed in EINECS (European Inventory of Existing Commercial Chemical Substances) or EILINCS (European List of New Chemical Substances) or are exempt. Refer to Section 8 for Occupational Exposure Limits.

4: FIRST AID MEASURES

Description of first aid measure,

General Advice:	Move out the dangerous area. Consults a physician. Show this safety data sheet to the doctor in attendance
Eyes:	Rinse eyes thoroughly with water for at least 15 minutes, including under lids, to remove all particles. Seek medical attention if situation persist for abrasion.
Skin:	Wash with water and soap or mild skin detergent. Seek medical attention if situation persist for rash and irritation. Obtain medical advice if skin disorders develop.
Inhalation:	Move victim to fresh clean air. Seek medical attention for discomfort or if coughing or other symptoms do not subside.
Ingestion:	Do not induce vomiting. If conscious, give plenty of water to drink. Seek medical attention or consult physician.

5: FIRE FIGHTING MEASURES

Suitable Extinguishing Media:	Carbon dioxide, powder, foam or water fog – Do not use water jets.
Special Exposure Hazards:	Toxic fumes.
Special Protective Equipment:	Self-contained breathing apparatus.

6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	Wear suitable protective clothing, gloves and eye/face protection.
Environmental Precautions:	Prevent entry into drains, sewers and water courses.
Decontamination Procedures:	Soak up with inert absorbent or contain and remove by best available means. Gather into containers. Dispose of as waste.

7: HANDLING AND STORAGE

Handling:	Avoid skin and eye contact. Maintain good standards of personal hygiene. Do not eat, drink or smoke whilst using this product. Protect from heat. Ensure adequate ventilation.
Storage:	Keep containers dry and tightly closed. Store in cool location and well ventilated area

8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits:	None assigned.
Engineering Control Measures:	No specific ventilation requirement noted.
Personal Protective Equipment:	Impervious gloves (eg PVC). Safety glasses / Goggles. Plastic apron. Change contaminated clothing and clean before re-use.

9: PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Colour:	White
Odour:	Mild.
pH(concentrate):	No data
Boiling Point/Range (°C):	>148
Flash Point (closed, °C):	>177
Explosive Properties (%):	No data
Vapour Pressure (kPa at 20°C):	No data
Specific Gravity (kg/L):	1.10 – 1.20
Water Solubility:	Insoluble.

10: STABILITY AND REACTIVITY

Possibility of hazardous reaction:	React with amines, acids, alkalis and oxidizing agents
Conditions to Avoid:	None known
Incompatible materials:	None known
Hazardous Decomposition Products:	Carbon monoxide and carbon dioxide

11: TOXICOLOGICAL INFORMATION

The following toxicological assessment is based on a knowledge of the toxicity of the product's components:
Oral LD50, rat > 5000 mg/kg.
Dermal LD50, rabbit = 20000 mg/kg

Health Effects

On Eyes:	Irritating effect
On Skin:	Irritant to skin and mucous membranes.
Sensitization:	Sensitization possible through skin contact

12: ECOLOGICAL INFORMATION

Aquatic toxicity:	Epoxy resin [EC50: 1.8 mg/kg]
Persistence and degradability	Not easily biodegradable
Bioaccumulative potential:	No further relevant information available
Mobility in soil:	No further relevant information available
Other adverse effects	No further relevant information available

13: DISPOSAL CONSIDERATIONS

Disposal must be in accordance with local and national legislation.

Unused / Used Product:	Dispose of through authorised waste contractor to a licensed site.
Contaminated Product:	As for unused product. May be reacted with hardener component to give an inert polymeric material.
Packaging:	Must be disposed of through an authorised waste contractor.

14: TRANSPORT INFORMATION

UN Number:	3082
ADR, IMDG, IATA:	Class 9 (Miscellaneous dangerous substances and particles)
Packing Group:	Void (III)
Transport Name:	Environmental hazardous substances, liquid, N.O.S. (Epoxy resin)
Hazchem Kemler Code :	90

15: REGULATORY INFORMATION

Hazard Label Data:-

Symbol(s):	Xi
Risk Phrases:	Irritating to eyes and skin. May cause sensitization by skin contact. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment
Safety Phrases:	Do not breathe gas/fumes/vapor/spray (appropriate wording to be specified by the manufacturer) Avoid contact with skin Wear suitable gloves and eye/face protection Use appropriate container to avoid environmental contamination
EC Directives:	Dangerous Substance Directive 67/548/EEC

16: OTHER INFORMATION

The data and advice given apply when the product is used for the stated application or applications. The product is not sold as suitable for any other application. Use of the product for applications other than as stated in this sheet may give rise to risks not mentioned in this sheet. The product should not be used than for the stated application or applications without seeking advice from Denka Construction Solutions Malaysia Sdn Bhd.

If this product has been purchased to a third party for use at work, it is the purchaser's duty to take all necessary steps to secure that any person handling or using the product is provided with information in this sheet. It is the responsibility and duty of the employer to inform employees and others who may be affected of any hazards described to this sheet and of any precautions which should be taken. This sheet does not constitute or substitute for the users own assessment of workplace risk, as required by other health and safety legislation.

SDS : Estogard T500e - Base
Date Issued : 09/10/2025
Revision : 03



Denka Construction Solutions Malaysia Sdn Bhd
(591858-U)
No. 18, Jalan Utas 15/7, Seksyen 15,
40200 Shah Alam, Selangor Darul Ehsan, Malaysia
Tel: +603 5510 8810 Fax: +603 5518 8202
www.denka-cs.com

Limitation of Liability

The information contained in this brochure provides general advice for potential customers for DENKA about the basic properties and characteristics of various DENKA products (hereafter known as "the Product Information"). DENKA makes no warranty or representation as to the entire accuracy or completeness of the Product Information in the brochure. Nothing in this brochure will be deemed to create any express or implied warranty of merchantability, fitness for a particular purpose or infringement of any intellectual property rights. Each user of the Product Information and DENKA products assumes their own responsibility to properly determine the manner and suitability of use of the Product Information and DENKA products in its own operations. The user should exercise proper care in considering the Material Safety Data Sheet, Product Information and any other technical information provided by DENKA including descriptions of the conditions of use, warnings and other cautionary instructions. DENKA reserves the right to change the Product Information from time to time at its discretion and without notice.